

Chemours Technical Call

Wednesday, July 26, 2017 10:00 AM

WW-31

- Ex. 6 Personal Privacy (PP) just working with Warren Water for reimbursement of cost
- Tab completed, send out the report to make sure we all agree it's finished

F&N

- Rows 2 & 3 - there is no data yet.
- Row 4 - offered bottled water as permanent solution
 - o Athens Co. came and said they may give these people variances so they can get GAC
- Rows 5 & 6 - they are trying to get an easement from a neighbor to get PWS extended to residences.
 - o Easement process taking a long time so Chemours may give them another letter for GAC installation.

HDR

- Bushong construction taking a long time. May offer bottled water and move to non-response decline list

New HDC

- Tab is now complete

HDQCU

- Wood County is not responding. If they don't respond in two weeks, Kevin can contact.
- Row 16 - would like to move to NRD list
- Row 8 - GAC install in progress
- Row 25 - GAC install in progress - Air BnB
 - o Owner says he's planning on building more cabins.

50-70

- Row 2 - GAC install in progress
- Row 3 - waiting for one quarter of sampling
- Row 4 - GAC completed
- Row 5 - WV residence. Moved to NRD list.

NRDO Pre HA

- Row 2 - GAC in progress
- Row 3 - Move to NRD list
 - o Offered treatment but is non-responsive to make a decision about what he wants
- Row 4 - has been hooked up to Little Hocking

NGA

- Rows 3-6 - have no data yet
 - Rows 7-9 - draft results qualified for treatment and will be offered bottled water.
 - o PWS may not be an option
 - Rows 10-18 - draft results not qualified for treatment
 - Rows 19-25 - all qualified and in progress
 - Rows 20-24 - Athens Co. is doing site visits to see if they'll issue permits for GAC installations
 - Row 25 - Washington Co. is doing site visit
 - Row 26 - Henderson Hall - doing PWS connection
 - o Out building is a cistern and will not be sampled
 - Row 27 - Ex. 6 Personal Privacy (PP) said that he'll get an estimate for RO treatment but Chemours is unwilling to pay for it. They want to install GAC.
 - Row 28 - not interested in treatment right now but AECOM will keep in contact
 - Rows 29-35 - have additional quarters of sampling
 - Row 36 - 6 Lawnsdale View - sampling other locations on Lawnsdale View and if they're over HA, will evaluate whether PWS is an option.
-
- Meeting in Philadelphia in late August / early September to discuss our plans moving forward
 - Kevin to reach out to Liz Green and see if we can get quarterly wells and a list of all wells in Wood Co.
-
- May 2013 is when Washington Works transitioned from PFOA to GenX.
 - o Consent order was in place about a year before the transition occurred.